Novel lead (Pb) record tracing the impact of human policy and culture on Asian pollution emissions in the North Pacific atmosphere over the last 1,600 years

PRESENTER: Hanna L. Brooks

Hanna Brooks, Mike Handley, Karl Kreutz, Jacob Chalif, Erich C. Osterberg, Ursula A. Jongebloed, Dominic Winski, Liam Kirkpatrick, Bess G. Koffman, Cameron P. Wake, Margit Schwikowski, Emma Skelton, David Ferris

BACKGROUND

- Lead (Pb) deposited in ice cores can show changes in human policy, culture, and technology across hundreds to thousands of years.

- Pb isotopes can be used to "fingerprint" pollution sources.

- Little work has been done in the North Pacific, despite its linkage between the Asian and North American continents



METHODS

1. Collected ice cores from Begguya (Mt. Hunter; 62.95°N, 151.09°W, 3900 m asl).

2. Melted cores at Dartmouth College using a continuous ice core melting system with discrete sampling for Pb analyses.

3. Analyses conducted at the UMaine Climate Change Institute (CCI) ICP-MS facility.

4. Produced a ~1,600 year (350 to 2022 CE) record Pb concentration and isotope ratios.

RESULTS

- Beginning in the late 1970s, the concentration record shows a large increase (~10 to ~100 ng/ g), coincident with the industrialization of China.

- Pb isotope ratios form distinct clusters, indicating multiple Pb pollution sources

- Interestingly, preliminary analysis of Pb isotope ratio data indicate regional variations.

Human impact on the enviroment over time is traceable using lead (Pb) in ICE COTES.

Even the sources of the pollution can be determined.







Scan for digital poster!



Scan to leave a review

C51F-051



Pb Isotope ranges through time, plotted with Asian anthropogenic sources*





²⁰⁸Pb/²⁰⁷Pb

Work described here is funded by the National Science Foundation (AGS-2002483: AGS-1806422 OPP-2002470), the Graduate Student Government at the University of Maine, and two Graduate Maine Space Grant Consortium Fellowships. Collection of the ice core was assisted by the U.S. Ice Drilling Program, the National Park Service and Talkeetna Air Taxi. The National Science Foundation - Ice Core Facility assisted with ice core sampling and curation. The core was recovered near the summit of Begguya in the Alaska range which lies within the traditional homelands of groups that have occupied the region for thousands of years prior to our study.